

Antibody Data

Product SKU:	AGEL0097	Clone:	17A2
Applications:	FCM		
Reactivity:	Mouse		

Important Note:

Centrifuge before opening to ensure complete recovery of vial contents.

Product Information:

Alternate Names:	T-cell surface glycoprotein CD 3epsilon/delta/gamma/zeta chain;CD3E/D/G/Z;CD3e/d/g/z;CD3E/D/G/Z;CD3;
Uniprot ID:	P04235 P11942 P22646 P24161
Background:	CD3, also known as T3, is a member of the Ig superfamily and primarily expressed on T cells, NK-T cells, and at different levels on thymocytes during T cell differentiation. CD3 is composed of CD3ε, δ, γ and ζ chains. It forms a TCR complex by associating with TCR α/β or γ/δ chains. CD3 plays a critical role in TCR signal transduction, T cell activation, and antigen recognition by binding the peptide/MHC antigen complex.
Form:	Liquid
Conjugation:	Biotin
Size:	25µg, 100µg
Host Species:	Rat
Isotype:	Rat IgG2b, κ
Isotype Control:	Biotin Rat IgG2b, κ Isotype Control[LTF-2] [Product AGEL0097]
Storage Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.
Shipping:	Biological ice pack at 4°C

Stability & Storage: Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to light. Do not freeze. Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.

Recommended Usage: Each lot of this antibody is quality control tested by flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is $\leq 1.0 \mu\text{g}$ per 10^6 cells in 100 μL volume or 100 μL of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.
