

**Antibody Data**

<b>Product SKU:</b>	<b>AGEL0694</b>	<b>Clone:</b>	<b>HM48-1</b>
<b>Applications:</b>	<b>FCM</b>		
<b>Reactivity:</b>	<b>Mouse</b>		


**Important Note:**

Centrifuge before opening to ensure complete recovery of vial contents.

**Product Information:**

**Alternate Names:** CD48 antigen;Cd48;BCM1 surface antigen;BLAST-1;HM48-1;MRC OX-45 surface antigen;SLAMF2;sgp-60;CD48;  
**Uniprot ID:** P18181  
**Background:** CD48 is a 45 kD GPI-anchored glycoprotein also known as BCM1, Blast-1 (human), and OX-45 (rat). It is a member of the Ig superfamily, expressed on T and B cells and monocytes/macrophages. It plays a role in adhesion and T cell recognition. The primary ligands for CD48 are CD2 and CD244.

**Form:** Liquid  
**Conjugation:** PerCP/Cyanine 5.5  
**Size:** 50 Tests, 100 Tests, 200 Tests  
**Host Species:** Armenian Hamster  
**Isotype:** Armenian Hamster IgG



Ex:440;480;675 nm; Em:675 nm

**Isotype Control:** PerCP/Cyanine5.5 Armenian Hamster IgG Isotype Control[PIP] [Product AGEL0694]  
**Storage Buffer:** Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.  
**Shipping:** Biological ice pack at 4°C

**Stability & Storage:** Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to light. Do not freeze. Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.

**Recommended Usage:** Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ L staining volume or per 100  $\mu$ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.