

**GenieFluor Violet 450 Anti-Human CD9 Antibody [HI9a]**

Catalogue Code: AGEL3357

**Antibody Data**

<b>Product SKU:</b>	<b>AGEL3357</b>	<b>Clone:</b>	<b>HI9a</b>
<b>Applications:</b>	<b>FCM</b>		
<b>Reactivity:</b>	<b>Human</b>		

**Important Note:**

Centrifuge before opening to ensure complete recovery of vial contents.

**Product Information:**

**Alternate Names:** CD9 antigen;CD9;5H9 antigen;Cell growth-inhibiting gene 2 protein;Leukocyte antigen MIC3;MRP-1;Tspan-29;p24;CD9;MIC3; TSPAN29;

**Uniprot ID:** P21926

**Background:** CD9 is a 24 kD type III transmembrane protein also known as tetraspanin, MRP-1 and DRAP-24. It is a member of the tetraspan family (spanning the membrane four times) found on platelets, B cell progenitors, activated lymphocytes, granulocytes, endothelial cells and epithelial cells. CD9 induces adhesion, platelet aggregation, and B cell development. CD9 has been shown to associate with CD63, CD81, CD82, and CD36 and to bind to  $\beta$ 1 integrins.


**Form:** Liquid

**Conjugation:** Genie FluorViolet 450

**Size:** 20 Tests, 100 Tests, 200 Tests

**Host Species:** Mouse

**Isotype:** Mouse IgG1,  $\kappa$



**Isotype Control:** Genie Fluor Violet 450 Mouse IgG1,  $\kappa$  Isotype Control[MOPC-21] [Product AGEL3357]

**Storage Buffer:** Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.

**Shipping:** Biological ice pack at 4°C

**Stability & Storage:** Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to light. Do not freeze. Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.

**Recommended Usage:** Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ L staining volume or per 100  $\mu$ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

---