

## CAB20175

---

### Product Information

<b>Product SKU:</b>	CAB20175	<b>Gene ID:</b>	72512	<b>Size:</b>	20uL, 100uL
<b>Clone No:</b>	-	<b>Host Species:</b>	Rabbit	<b>Reactivity:</b>	Human,Mouse,Rat

---

### Additional Information

<b>Observed MW:</b>	33kDa/35kDa	<b>Conjugate:</b>	Unconjugated
<b>Calculated MW:</b>	43kDa	<b>Isotype:</b>	IgG

---

### Immunogen Information

<b>Background:</b>	Enables 2',3'-cyclic GMP-AMP binding activity; cyclic-di-GMP binding activity; and ubiquitin protein ligase binding activity. Involved in several processes, including defense response to other organism; macroautophagy; and positive regulation of interferon-beta production. Acts upstream of or within cellular response to interferon-beta; positive regulation of transcription by RNA polymerase II; and regulation of inflammatory response. Located in several cellular components, including autophagosome; perinuclear region of cytoplasm; and peroxisome. Is expressed in ductus deferens; epididymis; ileum; and prostate gland. Human ortholog(s) of this gene implicated in STING-associated vasculopathy with onset in infancy. Orthologous to human STING1 (stimulator of interferon response cGAMP interactor 1).
<b>Recommended Dilution:</b>	WB,1:500 - 1:1000 IHC-P,1:50 - 1:200
<b>Synonyms:</b>	ERIS; MPYS; Mita; STING; Tmem173; STING-beta; 2610307O08Rik
<b>Purification Method:</b>	Affinity purification
<b>Immunogen:</b>	A synthetic peptide corresponding to a sequence within amino acids 280-371 of mouse STING. (NP_938023.1).
<b>Storage:</b>	Store at -20°C. Avoid freeze / thaw cycles.Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.