

## CAB3333

---

### Product Information

<b>Product SKU:</b>	CAB3333	<b>Gene ID:</b>	996	<b>Size:</b>	20uL, 100uL
<b>Clone No:</b>	ARC1947	<b>Host Species:</b>	Rabbit	<b>Reactivity:</b>	Human,Mouse

---

### Additional Information

<b>Observed MW:</b>	100kDa	<b>Conjugate:</b>	Unconjugated
<b>Calculated MW:</b>	92kDa	<b>Isotype:</b>	IgG

---

### Immunogen Information

**Background:** The protein encoded by this gene shares strong similarity with *Saccharomyces cerevisiae* protein Cdc27, and the gene product of *Schizosaccharomyces pombe* nuc 2. This protein is a component of the anaphase-promoting complex (APC), which is composed of eight protein subunits and is highly conserved in eukaryotic cells. This complex catalyzes the formation of cyclin B-ubiquitin conjugate, which is responsible for the ubiquitin-mediated proteolysis of B-type cyclins. The protein encoded by this gene and three other members of the APC complex contain tetratricopeptide (TPR) repeats, which are important for protein-protein interactions. This protein was shown to interact with mitotic checkpoint proteins including Mad2, p53CDC and BUBR1, and it may thus be involved in controlling the timing of mitosis. Alternative splicing of this gene results in multiple transcript variants. Related pseudogenes have been identified on chromosomes 2, 22 and Y.

**Recommended Dilution:** WB,1:500 - 1:2000

**Synonyms:** APC3; HNUC; NUC2; H-NUC; ANAPC3; CDC27Hs; D0S1430E; D17S978E; CDC27

**Purification Method:** Affinity purification

**Immunogen:** Recombinant fusion protein containing a sequence corresponding to amino acids 702-824 of human CDC27 (P30260).

**Storage:** Store at -20°C. Avoid freeze / thaw cycles.Buffer: PBS with 0.02% sodium azide,0.05% BSA,50% glycerol,pH7.3.