## **CRY1 Rabbit Polyclonal Antibody**



## **CAB6890**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

70KDa

Calculated MW:

66kDa

**Applications:** 

WB

Reactivity:

Human, Mouse

**Antibody Information** 

**Recommended dilutions:** 

WB 1:500 - 1:2000

Source:

Rabbit

Isotype:

IgG

Protein Background
This gene encodes a fla

This gene encodes a flavin adenine dinucleotide-binding protein that is a key component of the circadian core oscillator complex, which regulates the circadian clock. This gene is upregulated by CLOCK/ARNTL heterodimers but then represses this upregulation in a feedback loop using PER/CRY heterodimers to interact with CLOCK/ARNTL. Polymorphisms in this gene have been associated with altered sleep patterns. The encoded protein is widely conserved across plants and animals. Loss of the related gene in mouse results in a shortened circadian cycle in complete darkness.

Immunogen information

Gene ID:

1407

Uniprot

Q16526

**Synonyms:** 

CRY1; PHLL1; DSPD

Immunogen:

Recombinant fusion protein containing a sequence corresponding

to amino acids 1-255 of human CRY1 (NP\_004066.1).

Storage:


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.

**Purification:** 

Affinity purification

## **Product Images**



Western blot analysis of extracts of various cell lines, using CRY1 Rabbit pAb (CAB6890) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 10s.