FITC-conjugated F(ab')₂ Fragment Goat anti-Rabbit IgG, Fc fragment specific



CABS083

Product Information

Product SKU: CABS083 Gene ID: - Size: 20uL, 100uL

Clone No: - Host Species: Goat Reactivity: -

Additional Information

Observed MW: - Conjugate: FITC. Ex:491nm. Em:516nm.

Calculated MW: - Isotype: Fluorescein conjugated IgG

Immunogen Information

Background: Secondary antibodies are affinity-purified antibodies which will work with target-specific primary

antibody in the detection, sorting or purification of its specified target. Secondary antibodies offer increased versatility enabling users to use many detection systems (e.g. HRP, AP, fluorescence). They can also provide greater sensitivity through signal amplification as multiple secondary antibodies. Most commonly, secondary antibodies are generated by immunizing the host animal (different from host species of primary antibody) with a pooled population of normal immunoglobulins from the host species of primary antibody and can be further purified and modified (i.e. antibody fragmentation, label

conjugation, etc.) to ensure well-characterized specificity to corresponding normal immunoglobulins.

Recommended Dilution: IF/ICC,1:100 - 1:500 FC,1:50 - 1:200

Synonyms: -

Purifcation Method: Affinity purification

Immunogen: Rabbit IgG

Storage: Store at -20°C. Avoid freeze / thaw cycles.Buffer: PBS with 0.025% Sodium Azide,0.75% BSA,50%

glycerol,pH7.3.