

# Anti-GPC3 Chimeric Recombinant Rabbit Monoclonal Antibody

## Product Information

**Product SKU:**

HDAB0254

**Size:**

100 µg

**Isotype:**

Rabbit/Human Fc chimeric IgG1

**Host:**

Rabbit

**Clonality:**

Monoclonal

**Clone:**

DMC371

**Category:**

Recombinant Antibody

**Reactivity:**

Human

**Synonyms:**

DGSX; GTR2-2; MXR7; OCI-5; SDYS; SGB; SGBS; SGBS1

**Formulation:**

Powder

**Purification Method:**

Purified from cell culture supernatant by affinity chromatography

**Buffer:**

1XPBS

**Storage and Stability:**

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.

**Applications**

Flow Cyt

**Recommended Dilutions:**

Flow Cyt 1:100

**Background:**

Cell surface heparan sulfate proteoglycans are composed of a membrane-associated protein core substituted with a variable number of heparan sulfate chains. Members of the glypican-related integral membrane proteoglycan family (GRIPS) contain a core protein anchored to the cytoplasmic membrane via a glycosyl phosphatidylinositol linkage. These proteins may play a role in the control of cell division and growth regulation. The protein encoded by this gene can bind to and inhibit the dipeptidyl peptidase activity of CD26, and it can induce apoptosis in certain cell types. Deletion mutations in this gene are associated with Simpson-Golabi-Behmel syndrome, also known as Simpson dysmorphia syndrome. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Sep 2009] References: Fu Ying, Urban Daniel J, Nani Roger R et al. Glypican-3-Specific Antibody Drug Conjugates Targeting Hepatocellular Carcinoma.[J]. Hepatology, 2019, 70: 563-576. Zhang Yi-Fan, Ho Mitchell, Humanization of high-affinity antibodies targeting glypican-3 in hepatocellular carcinoma.

**Research Use Only:**

Research Use Only