

# **Anti-CD142 Chimeric Recombinant Rabbit Monoclonal Antibody**

## **Product Information**

Product SKU: HDAB0289	
<b>Size:</b> 100 μg	
Isotype: Rabbit/Human Fc chimeric IgG1	
Host: Rabbit	
Clonality: Monoclonal Clone: DMC463	
Category: Recombinant Antibody	3
Reactivity: Human	
Synonyms: TF, Coagulation factor III, F3	

#### Formulation: Powder

#### **Purification Method:**

Purified from cell culture supernatant by affinity chromatography

### **Buffer:**

1XPBS



#### Storage and Stability:

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.

#### **Applications**

Flow Cyt

#### **Recommended Dilutions:**

Flow Cyt 1:100

#### **Background:**

This gene encodes coagulation factor III which is a cell surface glycoprotein. This factor enables cells to initiate the blood coagulation cascades, and it functions as the high-affinity receptor for the coagulation factor VII. The resulting complex provides a catalytic event that is responsible for initiation of the coagulation protease cascades by specific limited proteolysis. Unlike the other cofactors of these protease cascades, which circulate as nonfunctional precursors, this factor is a potent initiator that is fully functional when expressed on cell surfaces, for example, on monocytes. There are 3 distinct domains of this factor: extracellular, transmembrane, and cytoplasmic. Platelets and monocytes have been shown to express this coagulation factor under procoagulatory and proinflammatory stimuli, and a major role in HIV-associated coagulopathy has been described. Platelet-dependent monocyte expression of coagulation factor III has been described to be associated with Coronavirus Disease 2019 (COVID-19) severity and mortality. This protein is the only one in the coagulation pathway for which a congenital deficiency has not been described. Alternate splicing results in multiple transcript variants.[provided by RefSeq, Aug 2020]

#### Research Use Only:

Research Use Only