

PACO15248

Product Information

Size:

50ul

Reactivity:

Human, Mouse

Source:

Rabbit

Isotype:

IgG

Applications:

ELISA, IHC

Recommended dilutions:

ELISA:1:1000-1:2000, IHC:1:15-1:50

Protein Background:

This gene encodes a member of the acyl-CoA dehydrogenase family of enzymes that catalyze the dehydrogenation of acyl-CoA derivatives in the metabolism of fatty acid, or branch chained amino acid, The encoded protein is a mitochondrial enzyme that functions in catabolism of the branched-chain amino acid, valine. Defects in this gene are the cause of isobutyryl-CoA dehydrogenase deficiency.

Gene ID:

ACAD8

Uniprot

Q9UKU7

Synonyms:

acyl-CoA dehydrogenase family, member 8


Immunogen:

Fusion protein of human ACAD8.


Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product Images



The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using PACO15248(ACAD8 Antibody) at dilution 1/15, on the right is treated with fusion protein. (Original magnification: x—200).



The image on the left is immunohistochemistry of paraffin-embedded Human colon cancer tissue using PACO15248(ACAD8 Antibody) at dilution 1/15, on the right is treated with fusion protein. (Original magnification: x—200).