

PACO16515

Product Information

Size:

50ul

Reactivity:

Human

Source:

Rabbit

Isotype:

IgG

Applications:

ELISA, WB, IHC

Recommended dilutions:

ELISA:1:1000-1:2000, WB:1:200-1:1000,
IHC:1:100-1:300

Protein Background:

TIRP is a Toll/interleukin-1 receptor (IL1R; MIM 147810) (TIR) domain-containing adaptor protein involved in Toll receptor signaling.

Gene ID:

TICAM2

Uniprot

Q86XR7

Synonyms:

toll-like receptor adaptor molecule 2


Immunogen:

Fusion protein of human TICAM2.


Storage:

-20° C, pH7.4 PBS, 0.05% NaN₃, 40% Glycerol


Product Images



The image on the left is immunohistochemistry of paraffin-embedded Human tonsil tissue using PACO16515(TICAM2 Antibody) at dilution 1/60, on the right is treated with fusion protein. (Original magnification: x—200).



Gel: 10%SDS-PAGE, Lysate: 40 μ g, Lane 1-4: Hela cells, human testis tissue, HT29 cells, PC3 cells, Primary antibody: PACO16515(TICAM2 Antibody) at dilution 1/200, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 20 seconds.



The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using PACO16515(TICAM2 Antibody) at dilution 1/60, on the right is treated with fusion protein. (Original magnification: x—200).