YWHAQ Antibody



PACO18271

Product Information

Size:

50ul

Reactivity:

Human, Mouse, Rat

Source:

Rabbit

Isotype:

lgG

Applications:

ELISA, WB, IHC

Recommended dilutions:

ELISA:1:2000-1:10000, WB:1:1000-1:5000, IHC:1:25-1:100

Protein Background:

This gene product belongs to the 14-3-3 family of proteins which mediate signal transduction by binding to phosphoserine-containing proteins. This highly conserved protein family is found in both plants and mammals, and this protein is 99% identical to the mouse and rat orthologs. This gene is upregulated in patients with amyotrophic lateral sclerosis. It contains in its 5' UTR a 6 bp tandem repeat sequence which is polymorphic, however, there is no correlation between the repeat number and the

disease.

Gene ID:

YWHAQ

Uniprot

P27348

Synonyms:

tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, theta polypeptide


Immunogen:


Synthetic peptide of human YWHAQ.

Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol


Product Images





The image on the left is immunohistochemistry of paraffin-embedded Human lung cancer tissue using PACO18271(YWHAQ Antibody) at dilution 1/50, on the right is treated with synthetic peptide. (Original magnification: x—200).

Gel: 10+12%SDS-PAGE, Lysate: 40 μ g, Lane 1-4: Mouse brain tissue, A549 cells, human lymphoma tissue, hela cells, Primary antibody: PACO18271(YWHAQ Antibody) at dilution 1/950, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 1 minute.



The image on the left is immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using PACO18271(YWHAQ Antibody) at dilution 1/50, on the right is treated with synthetic peptide. (Original magnification: x—200).