TNN Antibody



PACO18957

Product Information

Size:

50ul

Reactivity:

Human, Mouse

Source:

Rabbit

Isotype:

lgG

Applications:

ELISA, IHC

Recommended dilutions:

ELISA:1:3000-1:10000, IHC:1:50-1:200

Protein Background:

S100A9 is a calcium- and zinc-binding protein which plays a prominent role in the regulation of inflammatory processes and immune response. It can induce neutrophil chemotaxis, adhesion, can increase the bactericidal activity of neutrophils by promoting phagocytosis via activation of SYK, PI3K/AKT, and ERK1/2 and can induce degranulation of neutrophils by a MAPK-dependent mechanism. Predominantly found as calprotectin (S100A8/A9) which has a wide plethora of intra- and extracellular functions. The intracellular functions include: facilitating leukocyte arachidonic acid, trafficking and metabolism, modulation of the tubulin-dependent cytoskeleton during migration of phagocytes and activation of the neutrophilic NADPH-oxidase. Activates NADPH-oxidase by facilitating the enzyme complex assembly at the cell membrane, transfering arachidonic acid, an essential cofactor, to the enzyme complex and S100A8 contributes to the enzyme assembly by directly binding to NCF2/P67PHOX.

Gene ID:

TNN

Uniprot

Q9UQP3

Synonyms:

tenascin N


Immunogen:


Synthetic peptide of human TNN.

Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product Images





The image on the left is immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using PACO18957(TNN Antibody) at dilution 1/50, on the right is treated with synthetic peptide. (Original magnification: x—200).

The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using PACO18957(TNN Antibody) at dilution 1/50, on the right is treated with synthetic peptide. (Original magnification: x—200).