## AGAP2 Antibody

PACO19466



Product Information	
Size:	Protein Background:
50ul	Belongs to the chromatin remodeling brain-specific BAF (bBAF) complex, as such plays a role in remodeling mononucleosomes in an ATP-dependent fashion. Belongs to the neuron-specific chromatin remodeling complex (nBAF complex) and is required for postmitotic neural development and dendritic outgrowth. During neural development a switch from a stem/progenitor to a post-mitotic chromatin remodeling mechanism occurs as neurons exit the cell cycle and become committed to their adult state. The transition from proliferating neural stem/progenitor cells to post-mitotic neurons requires a switch in subunit composition of the npBAF and nBAF complexes. As neural progenitors exit mitosis and differentiate into neurons, npBAF complexes which contain ACTL6A/BAF53A and PHF10/BAF45A, are exchanged for homologous alternative ACTL6B/BAF53B and DPF1/BAF45B or DPF3/BAF45C subunits in neuron-specific complexes (nBAF). The npBAF complex is essential for the self-renewal/proliferative capacity of the multipotent neural stem cells.
Reactivity:	
Human	
Source:	
Rabbit	
lsotype:	
lgG	
Applications:	
Elisa, IHC	Gene ID:
Recommended dilutions:	AGAP2
ELISA:1:1000-1:5000, IHC:1:50-1:200	Uniprot
	Q99490
	Synonyms:
	ArfGAP with GTPase domain, ankyrin repeat and PH domain 2
	Immunogen:
	Synthetic peptide of human AGAP2.
	Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol



The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using PACO19466(AGAP2 Antibody) at dilution 1/60, on the right is treated with synthetic peptide. (Original magnification: x—200).