GLMN Antibody



PACO19712

Reactivity:

Isotype:

lgG

Product Information

Size: Protein Background:

50ul Histone demethylase that demethylates both 'Lys-4' (H3K4me) and 'Lys-9' (H3K9me) of histone H3, thereby acting as a coactivator or a corepressor, depending on the context.

Acts by oxidizing the substrate by FAD to generate the corresponding imine that is

Human subsequently hydrolyzed. Acts as a corepressor by mediating demethylation of H3K4me, a specific tag for epigenetic transcriptional activation. Demethylates both

Source: mono- (H3K4me1) and di-methylated (H3K4me2) H3K4me. May play a role in the

Rabbit repression of neuronal genes. Alone, it is unable to demethylate H3K4me on nucleosomes and requires the presence of RCOR1/CoREST to achieve such activity. Also

acts as a coactivator of androgen receptor (ANDR)-dependent transcription, by being recruited to ANDR target genes and mediating demethylation of H3K9me, a specific

tag for epigenetic transcriptional repression.

Applications: Gene ID:

ELISA, IHC GLMN

Recommended dilutions: Uniprot

ELISA:1:2000-1:5000, IHC:1:50-1:200 Q92990

Synonyms:

glomulin, FKBP associated protein


Immunogen:


Synthetic peptide of human GLMN.

Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product Images





The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using PACO19712(GLMN Antibody) at dilution 1/40, on the right is treated with synthetic peptide. (Original magnification: x—200).

The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using PACO19712(GLMN Antibody) at dilution 1/40, on the right is treated with synthetic peptide. (Original magnification: x—200).