PCDHAC2 Antibody



PACO20186

Product Information

Size:

50ul

Reactivity:

Human

Source:

Rabbit

Isotype:

lgG

Applications:

ELISA, IHC

Recommended dilutions:

ELISA:1:1000-1:2000, IHC:1:25-1:100

Protein Background:

Multifunctional protein with various roles in different cellular compartments. May act in a redox sensitive manner. In the nucleus is an abundant chromatin-associated non-histone protein involved in transcription, chromatin remodeling and V(D)J recombination and probably other processes. Binds DNA with a preference to non-canonical DNA structures such as single-stranded DNA. Can bent DNA and enhance DNA flexibility by looping thus providing a mechanism to promote activities on various gene promoters by enhancing transcription factor binding and/or bringing distant regulatory sequences into close proximity. Involved in V(D)J recombination by acting as a cofactor of the RAG complex: acts by stimulating cleavage and RAG protein binding at the 23 bp spacer of conserved recombination signal sequences (RSS).

Gene ID:

PCDHAC2

Uniprot

Q9Y5I4

Synonyms:

protocadherin alpha subfamily C, 2


Immunogen:

Synthetic peptide of human PCDHAC2.

Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product Images



The image on the left is immunohistochemistry of paraffin-embedded Human colon cancer tissue using PACO20186(PCDHAC2 Antibody) at dilution 1/50, on the right is treated with synthetic peptide. (Original magnification: x—200).