

MAPT (Ab-262) Antibody



PACO21370

Product Information

Size:

100ul

Reactivity:

Human, Mouse, Rat

Source:

Rabbit

Isotype:

IgG

Applications:

ELISA, WB

Recommended dilutions:

ELISA:1:2000-1:10000, WB:1:500-1:1000

Protein Background:

Promotes microtubule assembly and stability, and might be involved in the establishment and maintenance of neuronal polarity. The C-terminus binds axonal microtubules while the N-terminus binds neural plasma membrane components, suggesting that tau functions as a linker protein between both. Axonal polarity is predetermined by tau localization (in the neuronal cell) in the domain of the cell body defined by the centrosome. The short isoforms allow plasticity of the cytoskeleton whereas the longer isoforms may preferentially play a role in its stabilization. Timm T, et al. (2003) EMBO J; 22(19): 5090-5101.

Gene ID:

MAPT

Uniprot

P10636

Synonyms:

MAPT; MTAPT; MTBT1; Neurofibrillary tangle protein; PHF-tau


Immunogen:

Peptide sequence around aa.260~264 (I-G-S-T-E) derived from Human Tau.

Storage:

Supplied at 1.0mg/mL in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.

Product Images



Western blot analysis of extracts from mouse brain tissue using Tau(Ab-262) Antibody.