ATP5L2 Antibody



PACO23390

Product Information

Size: Protein Background:

100ul Mitochondrial membrane ATP synthase (F1F0 ATP synthase or Complex V) produces

Reactivity:

ATP from ADP in the presence of a proton gradient across the membrane which is generated by electron transport complexes of the respiratory chain. F-type ATPases

consist of two structural domains, F1 - containing the extramembraneous catalytic core,

Human consist of two structural domains, FT - containing the extramembraneous catalytic cor and F0 - containing the membrane proton channel, linked together by a central stalk.

Source: and a peripheral stalk. During catalysis, ATP synthesis in the catalytic domain of F1 is

coupled via a rotary mechanism of the central stalk subunits to proton translocation.

Rabbit

Part of the complex F0 domain. Minor subunit located with subunit a in the membrane

Isotype: By similarity.

lgG Gene ID:

Applications: ATP5L2

ELISA, WB, IF Uniprot

Q7Z4Y8 Recommended dilutions:

ELISA:1:2000-1:10000, WB:1:500-1:3000,
IF:1:100-1:500

ATP synthase subunit g 2; mitochondrial; ATPase subunit g 2; ATP5K2;


Immunogen:

Synthesized peptide derived from internal of human ATP5L2.

Storage:

Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.

Product Images



Western blot analysis of extracts from A549 cells, using ATP5L2 antibody.



Immunofluorescence analysis of A549 cells, using ATP5L2 antibody.