B4GAT1 Antibody, Biotin conjugated



PACO25191

Rabbit

Product Information

Size: Protein Background:

50ug Beta-1,4-glucuronyltransferase involved in O-mannosylation of alpha-dystroglycan

Reactivity: (DAG1). Transfers a glucuronic acid, (GlcA) residue onto a xylose (Xyl) acceptor to produce the glucuronyl-beta-1,4-xylose-beta disaccharide primer, which is further

Human elongated by LARGE, during synthesis of phosphorylated O-mannosyl glycan.

Phosphorylated O-mannosyl glycan is a carbohydrate is a carbohydrate structure

Source: present in alpha-dystroglycan (DAG1), which is required for hinding laminin G-like

present in alpha-dystroglycan (DAG1), which is required for binding laminin G-like

domain-containing extracellular proteins with high affinity. Required for axon guidance;

via its function in O-mannosylation of alpha-dystroglycan (DAG1).

Isotype: Gene ID:

IgG B4GAT1

Applications: Uniprot

ELISA O43505

Recommended dilutions: Synonyms:

Beta-1,4-glucuronyltransferase 1 (EC 2.4.1. -) (I-beta-1,3-N-

acetylglucosaminyltransferase) (iGnT) (N-acetyllactosaminide beta-1,3-N-acetylglucosaminyltransferase) (Poly-N-acetyllactosamine extension enzyme) (UDP-

GlcNAc: betaGal beta-1,3-N-acetylglucosaminyltransferase 1), B4GAT1, B3GNT1

B3GNT6

Immunogen:

Recombinant Human Beta-1,4-glucuronyltransferase 1 protein (161-415AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Product	Images
---------	---------------

N/A N/A