CBX5 Antibody, Biotin conjugated



PACO25531

Reactivity:

Rabbit

lgG

ELISA

Recommended dilutions:

Product Information

Size: Protein Background:

50ug Catalyzes the condensation of nicotinamide with 5-phosphoribosyl-1-pyrophosphate to yield nicotinamide mononucleotide, an intermediate in the biosynthesis of NAD. It is

the rate limiting component in the mammalian NAD biosynthesis pathway. The secreted form behaves both as a cytokine with immunomodulating properties and an

Human secreted form behaves both as a cytokine with immunomodulating properties and an adipokine with anti-diabetic properties, it has no enzymatic activity, partly because of

Source: lack of activation by ATP, which has a low level in extracellular space and plasma. Plays a

role in the modulation of circadian clock function. NAMPT-dependent oscillatory production of NAD regulates oscillation of clock target gene expression by releasing

Isotype: the core clock component: CLOCK-ARNTL/BMAL1 heterodimer from NAD-dependent

SIRT1-mediated suppression.

Gene ID:

Applications:

Uniprot

P45973

Synonyms:

Chromobox protein homolog 5 (Antigen p25) (Heterochromatin protein 1 homolog alpha) (HP1 alpha), CBX5, HP1A

Immunogen:

Recombinant Human Chromobox protein homolog 5 protein (1-191AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Product	Images
---------	---------------

N/A N/A