ETHE1 Antibody, FITC conjugated

PACO26567



Product Information	
Size:	Protein Background:
50ug	Sulfur dioxygenase that plays an essential role in hydrogen sulfide catabolism in the
Reactivity:	mitochondrial matrix. Hydrogen sulfide (H(2)S) is first oxidized by SQRDL, giving rise to cysteine persulfide residues. ETHE1 consumes molecular oxygen to catalyze the
Human	oxidation of the persulfide, once it has been transferred to a thiophilic acceptor, such as glutathione (R-SSH). Plays an important role in metabolic homeostasis in mitochondria
Source:	by metabolizing hydrogen sulfide and preventing the accumulation of
Rabbit	supraphysiological H(2)S levels that have toxic effects, due to the inhibition of cytochrome c oxidase. First described as a protein that can shuttle between the nucleus
lsotype:	and the cytoplasm and suppress p53-induced apoptosis by sequestering the transcription factor RELA/NFKB3 in the cytoplasm and preventing its accumulation in
lgG	the nucleus.
Applications:	Gene ID:
ELISA	ETHE1
Recommended dilutions:	Uniprot
	O95571
	Synonyms:
	Persulfide dioxygenase ETHE1, mitochondrial (EC 1.13.11.18) (Ethylmalonic encephalopathy protein 1) (Hepatoma subtracted clone one protein) (Sulfur dioxygenase ETHE1), ETHE1, HSCO
	Immunogen:
	Recombinant Human Persulfide dioxygenase ETHE1, mitochondrial protein (8-254AA).
	Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

N/A N/A