H2AFV Antibody



PACO31732

Product Information

Size: Protein Background:

50ug Variant histone H2A which replaces conventional H2A in a subset of nucleosomes.

Reactivity:

Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability.

Human role in transcription regulation, DNA repair, DNA replication and chromosomal stability.

DNA accessibility is regulated via a complex set of post-translational modifications of bistones also called histone code, and pucleosome remodeling. May be involved in the

ource: histones, also called histone code, and nucleosome remodeling. May be involved in the

Rabbit formation of constitutive heterochromatin. May be required for chromosome

segregation during cell division.

Isotype: Gene ID:

IgG H2AFV

Applications: Uniprot

ELISA Q71UI9

Recommended dilutions: Synonyms:

Histone H2A. V (H2A. F/Z), H2AFV, H2AV

Immunogen:

Recombinant Human Histone H2A. V protein (1-128AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

| Product | Images |
|---------|---------------|
|---------|---------------|

N/A N/A