## **CCL16 Antibody, Biotin conjugated**



## PACO32643

Reactivity:

Human

**ELISA** 

**Recommended dilutions:** 

## **Product Information**

Size: Protein Background:

50ug Shows chemotactic activity for lymphocytes and monocytes but not neutrophils. Also shows potent myelosuppressive activity, suppresses proliferation of myeloid progenitor

cells. Recombinant SCYA16 shows chemotactic activity for monocytes and THP-1

monocytes, but not for resting lymphocytes and neutrophils. Induces a calcium flux in

THP-1 cells that were desensitized by prior expression to RANTES.

Source:

Gene ID:

Rabbit CCL16

Isotype: Uniprot

IgG O15467

Applications: Synonyms:

C-C motif chemokine 16 (Chemokine CC-4) (HCC-4) (Chemokine LEC) (IL-10-inducible

chemokine) (LCC-1) (Liver-expressed chemokine) (Lymphocyte and monocyte chemoattractant) (LMC) (Monotactin-1) (MTN-1) (NCC-4) (Small-inducible cytokine

A16), CCL16, ILINCK NCC4 SCYA16

Immunogen:

Recombinant Human C-C motif chemokine 16 protein (24-120AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Product	<b>Images</b>
---------	---------------

N/A N/A