
WDR74 Antibody

PACO36846




Product Information		
	Size:	Protein Background:
	50ug	Regulatory protein of the MTREX-exosome complex involved in the synthesis of the 60S ribosomal subunit. Participates in an early cleavage of the pre-rRNA processing pathway in cooperation with NVL. Required for blastocyst formation, is necessary for RNA transcription, processing and/or stability during preimplantation development.
	Reactivity:	
	Human	
	Source:	Gene ID:
	Rabbit	WDR74
	lsotype:	Uniprot
	lgG	Q6RFH5
	Applications:	Synonyms:
	ELISA, WB, IHC	WD repeat-containing protein 74 (NOP seven-associated protein 1), WDR74, NSA1
	Recommended dilutions:	Immunogen:
	ELISA:1:2000-1:10000, WB:1:1000-1:5000, IHC:1:20-1:200	Recombinant Human WD repeat-containing protein 74 protein (111-366AA).
		Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4



Western blot. All lanes: WDR74 antibody at 0.5μ g/ml + Hela whole cell lysate. Secondary. Goat polyclonal to rabbit IgG at 1/10000 dilution. Predicted band size: 43, 41 kDa. Observed band size: 43 kDa.

Immunohistochemistry of paraffin-embedded human liver tissue using PACO36846 at dilution of 1:100.



Immunohistochemistry of paraffin-embedded human pancreatic tissue using PACO36846 at dilution of 1:100.