

MMD2 Antibody



PACO37794

Product Information

Size:

50ug

Reactivity:

Human, Mouse

Source:

Rabbit

Isotype:

IgG

Applications:

ELISA, WB, IHC, IF

Recommended dilutions:

ELISA:1:2000-1:10000, WB:1:500-1:2000,
IHC:1:20-1:200, IF:1:50-1:200

Protein Background:

perinuclear region of cytoplasm, protein kinase activity, positive regulation of neuron differentiation, positive regulation of protein kinase activity, positive regulation of Ras protein signal transduction, protein phosphorylation, regulation of protein localization.

Gene ID:

MMD2

Uniprot

Q8IY49

Synonyms:

Monocyte to macrophage differentiation factor 2 (Progesterone and adipoQ receptor family member 10) (Progesterone and adipoQ receptor family member X), MMD2, PAQR10


Immunogen:

Recombinant Human Monocyte to macrophage differentiation factor 2 protein (1-38AA).


Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4


Product Images



Western blot. All lanes: MMD2 antibody at 3 μ g/ml. Lane 1: Mouse brain tissue. Lane 2: Mouse kidney tissue. Lane 3: U251 whole cell lysate. Lane 4: 293T whole cell lysate. Lane 5: Mouse liver tissue. Secondary. Goat polyclonal to rabbit IgG at 1/10000 dilution. Predicted band size: 32, 29, 23 kDa. Observed band size: 23 kDa.



Immunofluorescent analysis of U251 cells using PACO37794 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunohistochemistry of paraffin-embedded human testis tissue using PACO37794 at dilution of 1:100.