

XPNPEP1 Antibody



PACO41394

Product Information

Size:

50ug

Reactivity:

Human, Mouse

Source:

Rabbit

Isotype:

IgG

Applications:

ELISA, WB, IHC

Recommended dilutions:

ELISA:1:2000-1:10000, WB:1:1000-1:5000,
IHC:1:20-1:200

Protein Background:

Contributes to the degradation of bradykinin. Catalyzes the removal of a penultimate prolyl residue from the N-termini of peptides, such as Arg-Pro-Pro.

Gene ID:

XPNPEP1

Uniprot

Q9NQW7

Synonyms:

Xaa-Pro aminopeptidase 1 (EC 3.4.11.9) (Aminoacylproline aminopeptidase) (Cytosolic aminopeptidase P) (Soluble aminopeptidase P) (sAmp) (X-Pro aminopeptidase 1) (X-prolyl aminopeptidase 1, soluble), XPNPEP1, XPNPEPL XPNPEPL1

Immunogen:

Recombinant Human Xaa-Pro aminopeptidase 1 protein (2-623AA).


Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Product Images



Western blot. All lanes: Xaa-Pro aminopeptidase 1 antibody at 8 μ g/ml. Lane 1: Mouse small intestine tissue. Lane 2: Mouse stomach tissue. Lane 3: Mouse kidney tissue. Secondary. Goat polyclonal to rabbit IgG at 1/10000 dilution. Predicted band size: 70, 68, 75, 73 kDa. Observed band size: 70 kDa.



Immunohistochemistry of paraffin-embedded human colon cancer using PACO41394 at dilution of 1:100.