## **ENY2 Antibody**



## PACO42214

Reactivity:

Human

Rabbit

Isotype:

lgG

## **Product Information**

Size: Protein Background:

50ug Involved in mRNA export coupled transcription activation by association with both the TREX-2 and the SAGA complexes. The transcription regulatory histone acetylation (HAT)

complex SAGA is a multiprotein complex that activates transcription by remodeling chromatin and mediating histone acetylation and deubiquitination. Within the SAGA

complex, participates in a subcomplex that specifically deubiquitinates both histones

Source: H2A and H2B. The SAGA complex is recruited to specific gape promoters by activators

H2A and H2B. The SAGA complex is recruited to specific gene promoters by activators such as MYC, where it is required for transcription. Required for nuclear receptor-

mediated transactivation. The TREX-2 complex functions in docking export-competent ribonucleoprotein particles (mRNPs) to the nuclear entrance of the nuclear pore

complex (nuclear basket). TREX-2 participates in mRNA export and accurate chromatin

positioning in the nucleus by tethering genes to the nuclear periphery.

Applications: Gene ID:

ELISA ENY2

Recommended dilutions: Uniprot

Q9NPA8

Synonyms:

Transcription and mRNA export factor ENY2 (Enhancer of yellow 2 transcription factor

homolog), ENY2

Immunogen:

Recombinant Human Transcription and mRNA export factor ENY2 protein (1-101AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

| Product | <b>Images</b> |
|---------|---------------|
|---------|---------------|

N/A N/A