
ZBTB32 Antibody

PACO42854



Product Information	
Size:	Protein Background:
50ug	DNA-binding protein that binds to the to a 5'-TGTACAGTGT-3' core sequence. May function as a transcriptional transactivator and transcriptional repressor. Probably exerts its repressor effect by preventing GATA3 from binding to DNA. May play a role in regulating the differentiation and activation of helper T-cells.
Reactivity:	
Human, Mouse	
Source:	Gene ID:
Rabbit	ZBTB32
lsotype:	Uniprot
lgG	Q9Y2Y4
Applications:	Synonyms:
ELISA, WB, IHC	Zinc finger and BTB domain-containing protein 32 (FANCC-interacting protein) (Fanconi anemia zinc finger protein) (Testis zinc finger protein) (Zinc finger protein 538), ZBTB32, FAZF TZFP ZNF538
Recommended dilutions:	
ELISA:1:2000-1:10000, WB:1:500-1:2000, IHC:1:20-1:200	Immunogen:
	Recombinant Human Zinc finger and BTB domain-containing protein 32 protein (1- 294AA).
	Storage:


Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4



Lanel lane2

Western blot. All lanes: ZBTB32 antibody at 4 μ g/ml. Lane 1: Mouse brain tissue. Lane 2: Jurkat whole cell lysate. Secondary. Goat polyclonal to rabbit IgG at 1/10000 dilution. Predicted band size: 53 kDa. Observed band size: 53 kDa.

Immunohistochemistry of paraffin-embedded human testis tissue using PACO42854 at dilution of 1:100.



Immunohistochemistry of paraffin-embedded human adrenal gland tissue using PACO42854 at dilution of 1:100.