Snaclec rhodocytin subunit alpha Antibody, Biotin conjugated



PACO53941

Product Information

Calloselasma rhodostoma

Size: Protein Background:

50ug Elicits platelet aggregation by the binding to the C-type lectin domain family 1 member

B (CLEC1B/CLEC2). Binding leads to tyrosine phosphorylation in the cytoplasmic tail of CLEC1B, which promotes the binding of spleen tyrosine kinase (Syk), subsequent

activation of PLC-gamma-2, and platelet activation and aggregation. Binding to

GPIbalpha (GP1BA) and alpha-2/beta-1 (ITGA2/ITGB1) may also induce aggregation,

but this is controversial.

Rabbit Gene ID:

Isotype:

Source:

Reactivity:

lgG Uniprot

Applications: Q91841

ELISA **Synonyms:**

Recommended dilutions: Snaclec rhodocytin subunit alpha (Aggretin alpha chain) (Rhodoaggretin subunit alpha)

Immunogen:

Recombinant Calloselasma rhodostoma Snaclec rhodocytin subunit α protein (1-

136AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Product	Images
---------	---------------

N/A N/A