KDM2B Antibody, FITC conjugated

PAC055220



Product Information	
Size:	Protein Background:
50ug	Histone demethylase that demethylates 'Lys-4' and 'Lys-36' of histone H3, thereby
Reactivity:	playing a central role in histone code. Preferentially demethylates trimethylated H3 'Lys- 4' and dimethylated H3 'Lys-36' residue while it has weak or no activity for mono- and
Human	tri-methylated H3 'Lys-36'. Preferentially binds the transcribed region of ribosomal RNA and represses the transcription of ribosomal RNA genes which inhibits cell growth and
Source:	proliferation. May also serve as a substrate-recognition component of the SCF (SKP1-
Rabbit	CUL1-F-box protein)-type E3 ubiquitin ligase complex.
lsotype:	Gene ID:
lgG	KDM2B
Applications:	Uniprot
ELISA	Q8NHM5
Recommended dilutions:	Synonyms:
	Lysine-specific demethylase 2B (EC 1.14.11.27) (CXXC-type zinc finger protein 2) (F-box and leucine-rich repeat protein 10) (F-box protein FBL10) (F-box/LRR-repeat protein 10) (JmjC domain-containing histone demethylation protein 1B) (Jumonji domain- containing EMSY-interactor methyltransferase motif protein) (Protein JEMMA) (Protein- containing CXXC domain 2) ([Histone-H3]-lysine-36 demethylase 1B), KDM2B, CXXC2 FBL10 FBXL10 JHDM1B PCCX2
	Immunogen:
	Recombinant Human Lysine-specific demethylase 2B protein (1274-1336AA).
	Storage:
	Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

N/A N/A