## **GHRHR Antibody**



## PACO56800

Reactivity:

## **Product Information**

Size: **Protein Background:** 

Receptor for GRF, coupled to G proteins which activate adenylyl cyclase. Stimulates 50ug

somatotroph cell growth, growth hormone gene transcription and growth hormone

secretion.

Human Gene ID:

Source: **GHRHR** 

Rabbit Uniprot

Isotype: Q02643

lgG Synonyms:

**Applications:** Growth hormone-releasing hormone receptor (GHRH receptor) (Growth hormone-

releasing factor receptor) (GRF receptor) (GRFR), GHRHR ELISA, IHC, IF

Immunogen: **Recommended dilutions:** 


Recombinant Human Growth hormone-releasing hormone receptor protein (23-ELISA:1:2000-1:10000, IHC:1:200-1:500, 127AA).


IF:1:50-1:200

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

## **Product Images**





IHC image of PACO56800 diluted at 1:200 and staining in paraffinembedded human kidney tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.

Immunofluorescence staining of HepG2 cells with PACO56800 at 1:67, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4°C. The secondary antibody was Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L).