NRCAM Antibody, HRP conjugated

PACO57901



Product Information	
Size:	Protein Background:
50ug	Cell adhesion protein that is required for normal responses to cell-cell contacts in brain
Reactivity:	and in the peripheral nervous system. Plays a role in neurite outgrowth in response to contactin binding. Plays a role in mediating cell-cell contacts between Schwann cells
Human	and axons. Plays a role in the formation and maintenance of the nodes of Ranvier on myelinated axons. Nodes of Ranvier contain clustered sodium channels that are crucial
Source:	for the saltatory propagation of action potentials along myelinated axons. During
Rabbit	development, nodes of Ranvier are formed by the fusion of two heminodes. Required for normal clustering of sodium channels at heminodes; not required for the formation
lsotype:	of mature nodes with normal sodium channel clusters. Required, together with GLDN, for maintaining NFASC and sodium channel clusters at mature nodes of Ranvier.
lgG	Gene ID:
Applications:	NRCAM
ELISA	Uniprot
Recommended dilutions:	Q92823
	Synonyms:
	Neuronal cell adhesion molecule (Nr-CAM) (Neuronal surface protein Bravo) (hBravo) (NgCAM-related cell adhesion molecule) (Ng-CAM-related), NRCAM, KIAA0343
	Immunogen:
	Recombinant Human Neuronal cell adhesion molecule protein (1194-1299AA).
	Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

N/A N/A