BBS7 Antibody, FITC conjugated



PACO58278

Product Information Size: **Protein Background:** 50ug The BBSome complex is thought to function as a coat complex required for sorting of specific membrane proteins to the primary cilia. The BBSome complex is required for Reactivity: ciliogenesis but is dispensable for centriolar satellite function. This ciliogenic function is mediated in part by the Rab8 GDP/GTP exchange factor, which localizes to the basal Human body and contacts the BBSome. Rab8(GTP) enters the primary cilium and promotes Source: extension of the ciliary membrane. Firstly the BBSome associates with the ciliary membrane and binds to RAB3IP/Rabin8, the guanosyl exchange factor (GEF) for Rab8 Rabbit and then the Rab8-GTP localizes to the cilium and promotes docking and fusion of carrier vesicles to the base of the ciliary membrane. The BBSome complex, together Isotype: with the LTZL1, controls SMO ciliary trafficking and contributes to the sonic hedgehog lgG (SHH) pathway regulation. Required for proper BBSome complex assembly and its ciliary localization. **Applications:** Gene ID: **ELISA** BBS7 **Recommended dilutions:** Uniprot Q8IWZ6 Synonyms: Bardet-Biedl syndrome 7 protein (BBS2-like protein 1), BBS7, BBS2L1 Immunogen: Recombinant Human Bardet-Biedl syndrome 7 protein (289-393AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Product	Images
---------	---------------

N/A N/A