FAU Antibody



PACO60697

Reactivity:

Product Information

Size: **Protein Background:**

50ug cytosol, cytosolic small ribosomal subunit, extracellular space, nucleoplasm, small

ribosomal subunit, RNA binding, structural constituent of ribosome, antibacterial humoral response, antimicrobial humoral immune response mediated by antimicrobial

peptide, defense response to Gram-positive bacterium. Human

Gene ID: Source:

FAU Rabbit

Uniprot Isotype:

P62861 lgG

Synonyms: Applications:

40S ribosomal protein S30 (Small ribosomal subunit protein eS30), FAU ELISA, IHC, IF

Immunogen: **Recommended dilutions:**


Recombinant Human 40S ribosomal protein S30 protein (1-59AA). ELISA:1:2000-1:10000, IHC:1:200-1:500,

IF:1:50-1:200


Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Product Images



IHC image of PACO60697 diluted at 1:200 and staining in paraffinembedded human liver cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.



Immunofluorescence staining of A549 cells with PACO60697 at 1:66, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4°C. The secondary antibody was Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L).