## **EPHA8 Antibody, HRP conjugated**



## PACO63648

Reactivity:

lgG

## **Product Information**

Size: Protein Background:

50ul Receptor tyrosine kinase which binds promiscuously GPI-anchored ephrin-A family ligands residing on adjacent cells, leading to contact-dependent bidirectional signaling

into neighboring cells. The signaling pathway downstream of the receptor is referred to as forward signaling while the signaling pathway downstream of the ephrin ligand is

Human as forward signaling while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling. The GPI-anchored ephrin-A EFNA2, EFNA3, and EFNA5

Source: are able to activate EPHA8 through phosphorylation. With EFNA5 may regulate

Rabbit integrin-mediated cell adhesion and migration on fibronectin substrate but also neurite outgrowth. During development of the nervous system plays also a role in axon

Isotype: guidance. Downstream effectors of the EPHA8 signaling pathway include FYN which

promotes cell adhesion upon activation by EPHA8 and the MAP kinases in the

stimulation of neurite outgrowth.

Applications: Gene ID:

ELISA EPHA8

Recommended dilutions: Uniprot

P29322

**Synonyms:** 

Ephrin type-A receptor 8 (EC 2.7.10.1) (EPH- and ELK-related kinase) (EPH-like kinase 3) (EK3) (hEK3) (Tyrosine-protein kinase receptor EEK), EPHA8, EEK HEK3 KIAA1459

Immunogen:

Recombinant Human Ephrin type-A receptor 8 protein (45-249AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Product	<b>Images</b>
---------	---------------

N/A N/A