EPHA8 Antibody, Biotin conjugated



PACO63650

Isotype:

lgG

Product Information

Size: Protein Background:

50ul Receptor tyrosine kinase which binds promiscuously GPI-anchored ephrin-A family

Reactivity:into neighboring cells. The signaling pathway downstream of the receptor is referred to

Human as forward signaling while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling. The GPI-anchored ephrin-A EFNA2, EFNA3, and EFNA5

Source: are able to activate EPHA8 through phosphorylation. With EFNA5 may regulate

Rabbit integrin-mediated cell adhesion and migration on fibronectin substrate but also neurite

outgrowth. During development of the nervous system plays also a role in axon guidance. Downstream effectors of the EPHA8 signaling pathway include FYN which

promotes cell adhesion upon activation by EPHA8 and the MAP kinases in the

ligands residing on adjacent cells, leading to contact-dependent bidirectional signaling

stimulation of neurite outgrowth.

Applications: Gene ID:

ELISA EPHA8

Recommended dilutions: Uniprot

P29322

Synonyms:

Ephrin type-A receptor 8 (EC 2.7.10.1) (EPH- and ELK-related kinase) (EPH-like kinase 3) (EK3) (hEK3) (Tyrosine-protein kinase receptor EEK), EPHA8, EEK HEK3 KIAA1459

Immunogen:

Recombinant Human Ephrin type-A receptor 8 protein (45-249AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Product	Images
---------	---------------

N/A N/A