

# Recombinant Protein Technical Manual Recombinant Human AMIGO2 Protein (aa 40-393, His Tag)

### **Product Data:**

**Product SKU:** RPES4645 **Size:** 10μg

Species: Human Cells

RPES4645

Uniprot: Q86SJ2

## **Protein Information:**

Molecular Mass: 41.34 kDa

AP Molecular Mass: 68 kDa

Tag: C-His

**Bio-activity:** 

**Purity:** > 90% as determined by reducing SDS-PAGE.

**Endotoxin:**  $< 1.0 \text{ EU per } \mu\text{g}$  as determined by the LAL method.

**Storage:** Lyophilized protein should be stored at < -20°C, though stable at room

temperature for 3 weeks. Reconstituted protein solution can be stored at  $4-7^{\circ}$ C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.

**Shipping:** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation:** Lyophilized from a 0.2 μm filtered solution of 20mM PB, 150mM NaCl, pH 7.2.

**Reconstitution:** Please refer to the printed manual for detailed information.

Application:

**Synonyms:** Amphoterin-Induced Protein 2; AMIGO-2; Alivin; Differentially Expressed in Gastric

Adenocarcinomas; DEGA; ALI1

# Immunogen Information:

**Sequence:** Val40-His393

# Background:

Amphoterin-Induced Protein 2 (AMIGO2) is a single-pass type I membrane protein which belongs to the AMIGO family of immunoglobulin superfamily. Mature AMIGO2 contains an Ig-like C2-type (immunoglobulin-like) domain, 6 LRR (leucine-rich) repeats, a LRRCT domain, as well as a LRRNT domain. AMIGO2 is mainly expressed in in breast, ovary, cervix, and uterus, although lower in lung, colon, and rectum. AMIGO2 required for depolarization-dependent survival of cultured cerebellar granule neurons. AMIGO2 may mediate homophilic as well as heterophilic cell-cell interaction with AMIGO1 or AMIGO3. AMIGO2 may contribute to signal transduction through its intracellular domain, and may be required for tumorigenesis of a subset of gastric adenocarcinomas.