Nanodisc Human P2RX1-Strep Protein



HDFP1446

Product Information

| Product SKU: | HDFP1446 | Expression Host: | HEK293 | | Size: | 10µg |
|------------------|----------------|-----------------------|--------------|------------|----------|------|
| Target: | P2RX1 | Tag: | C-Flag&St | rep Tag | | |
| Additional Infor | mation | | | | | |
| Conjugate: | Unconjugat | ed Unip | rot ID: | P51575 | | |
| Molecular Wei | ght: The human | full length P2RX1-Str | ep protein ł | nas a MW o | f 45 kDa | |
| | | | | | | |

Protein Information

| Background: | The protein encoded by this gene belongs to the P2X family of G-protein-coupled |
|----------------------|---|
| | receptors. These proteins can form homo-and heterotimers and function as ATP- |
| | gated ion channels and mediate rapid and selective permeability to cations. This |
| | protein is primarily localized to smooth muscle where binds ATP and mediates |
| | synaptic transmission between neurons and from neurons to smooth muscle and may |
| | being responsible for sympathetic vasoconstriction in small arteries, arterioles and |
| | vas deferens. Mouse studies suggest that this receptor is essential for normal male |
| | reproductive function. This protein may also be involved in promoting apoptosis. |
| | [provided by RefSeq, Jun 2013] |
| Synonyms: | P2X1 |
| Protein Description: | Human P2RX1-Strep full length protein-synthetic nanodisc |
| Formulation: | luga biling difference and a setubiling the buffer (20 mM Trig UC) 150 mM MaCharl |
| | Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH |
| | 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please |
| | |
| | 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please |
| | 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH |
| Protein Pathways: | 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater |
| | 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater |

Storage & Shipping: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.