Nanodisc Human BKRB1-Strep Protein



HDFP942

Product Information

| Product SKU : | HDFP942 | Expression Host: | HEK293 | | Size: | 10µg |
|--|------------|---|-----------------------------------|----------------------|-------------|------|
| Target: | BKRB1 | Tag: | C-Flag&Strep Tag | | | |
| Additional Infor Conjugate: Molecular Weig | Unconjugat | ed Unip full length BKRB1-Str | e rot ID: Tep protein l | P46663 nas a MW c | of 40.5 kDa | |

Protein Information

| Background: | Bradykinin, a 9 aa peptide, is generated in pathophysiologic conditions such as |
|----------------------|--|
| | inflammation, trauma, burns, shock, and allergy. The protein encoded by this gene |
| | belongs to the G-protein coupled receptor 1 family. Two types of G-protein coupled |
| | receptors have been found which bind bradykinin and mediate responses to these |
| | pathophysiologic conditions. The protein encoded by this gene is one of these |
| | receptors and is synthesized de novo following tissue injury. Receptor binding leads |
| | to an increase in the cytosolic calcium ion concentration, ultimately resulting in |
| | chronic and acute inflammatory responses. [provided by RefSeq, Aug 2020] |
| Synonyms: | B1BKR, B1R, BKB1R, BKR1, BRADYB1 |
| Protein Description: | Human BKRB1-Strep full length protein-synthetic nanodisc |
| Formulation: | Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH |
| | 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please |
| | see Certificate of Analysis for specific instructions. Do not use solvents with a pH |
| | below 6.5 or those containing high concentrations of divalent metal ions (greater |
| | than 5 mM) in subsequent experiments. |
| Protein Pathways: | GPCRDB Class A Rhodopsin-like, Peptide GPCRs, Regulation of Actin Cytoskeleton |
| | KEGG, Cancer. |
| Protein Families: | GPCR, Transmembrane, Druggable Genome. |
| Usage: | Research use only |

Storage & Shipping: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.