RPCB0501		
Product Information	on	
Product SKU: R	PCB0501 <b>Gene ID</b> : 5819 <b>Size</b> :	100µg
Tag: C	-His&Avi <b>Reactivity</b> : Human	
Additional Informa	tion	
Expression Host:	HEK293 cells Swissprot: Q92692-2	
Purity:	> 95% by SDS-PAGE ; > 95% by HPLC	
Protein Informatio		
rotein mormatio	n	
Background:	<b>n</b> Nectin-2 is an adhesion molecule that has been reported to	play a role in tumo
	Nectin-2 is an adhesion molecule that has been reported to	sion in ovarian cance
	Nectin-2 is an adhesion molecule that has been reported to growth, metastasis and tumor angiogenesis. Nectin-2 express	sion in ovarian cance mph node metastasis
	Nectin-2 is an adhesion molecule that has been reported to growth, metastasis and tumor angiogenesis. Nectin-2 express may support tumor cell adhesion, leading to growth and lyn	sion in ovarian cancer mph node metastasis
Background:	Nectin-2 is an adhesion molecule that has been reported to growth, metastasis and tumor angiogenesis. Nectin-2 express may support tumor cell adhesion, leading to growth and ly Effect of VEGF on Nectin-2 expression as well as permeabilit HUVEC.	sion in ovarian cancel mph node metastasis ty was investigated ir
	Nectin-2 is an adhesion molecule that has been reported to growth, metastasis and tumor angiogenesis. Nectin-2 express may support tumor cell adhesion, leading to growth and lyn Effect of VEGF on Nectin-2 expression as well as permeabilin HUVEC. <b>on</b> : High quality, high purity and low endotoxin recombinant	sion in ovarian cancel mph node metastasis ty was investigated ir Recombinant Humar
Background:	<ul> <li>Nectin-2 is an adhesion molecule that has been reported to growth, metastasis and tumor angiogenesis. Nectin-2 express may support tumor cell adhesion, leading to growth and lyn Effect of VEGF on Nectin-2 expression as well as permeabilith HUVEC.</li> <li>bn: High quality, high purity and low endotoxin recombinant Nectin-2/PVRL2/CD112 Protein , tested reactivity in HEK293</li> </ul>	sion in ovarian cancel mph node metastasis ty was investigated ir Recombinant Humar
Background: Protein Descriptio	<ul> <li>Nectin-2 is an adhesion molecule that has been reported to growth, metastasis and tumor angiogenesis. Nectin-2 express may support tumor cell adhesion, leading to growth and lyn Effect of VEGF on Nectin-2 expression as well as permeabilit HUVEC.</li> <li>Dn: High quality, high purity and low endotoxin recombinant Nectin-2/PVRL2/CD112 Protein , tested reactivity in HEK293 validated in SDS-PAGE.100% guaranteed.</li> </ul>	sion in ovarian cancel mph node metastasis ty was investigated ir Recombinant Humar
Background: Protein Descriptio	Nectin-2 is an adhesion molecule that has been reported to growth, metastasis and tumor angiogenesis. Nectin-2 express may support tumor cell adhesion, leading to growth and lyn Effect of VEGF on Nectin-2 expression as well as permeabilit HUVEC. <b>on:</b> High quality, high purity and low endotoxin recombinant Nectin-2/PVRL2/CD112 Protein , tested reactivity in HEK293 validated in SDS-PAGE.100% guaranteed. < 1 EU/µg of the protein by LAL method	sion in ovarian cance mph node metastasis ty was investigated ir Recombinant Humar 3 cells and has beer
Background: Protein Descriptio	<ul> <li>Nectin-2 is an adhesion molecule that has been reported to growth, metastasis and tumor angiogenesis. Nectin-2 expression as support tumor cell adhesion, leading to growth and lyne Effect of VEGF on Nectin-2 expression as well as permeabilitient HUVEC.</li> <li>bn: High quality, high purity and low endotoxin recombinant Nectin-2/PVRL2/CD112 Protein, tested reactivity in HEK292 validated in SDS-PAGE.100% guaranteed.</li> <li>&lt; 1 EU/µg of the protein by LAL method Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). No</li> </ul>	sion in ovarian cancer mph node metastasis ty was investigated ir Recombinant Humar 3 cells and has beer
Background: Protein Descriptio Endotoxin: Formulation:	<ul> <li>Nectin-2 is an adhesion molecule that has been reported to growth, metastasis and tumor angiogenesis. Nectin-2 expressimay support tumor cell adhesion, leading to growth and lyneffect of VEGF on Nectin-2 expression as well as permeability HUVEC.</li> <li>bn: High quality, high purity and low endotoxin recombinant Nectin-2/PVRL2/CD112 Protein, tested reactivity in HEK292 validated in SDS-PAGE.100% guaranteed.</li> <li>&lt; 1 EU/µg of the protein by LAL method</li> <li>Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). No added as protectant before lyophilization.</li> </ul>	sion in ovarian cancel mph node metastasis ty was investigated ir Recombinant Humar 3 cells and has beer rmally 8% trehalose is
Background: Protein Descriptio	<ul> <li>Nectin-2 is an adhesion molecule that has been reported to growth, metastasis and tumor angiogenesis. Nectin-2 expression as support tumor cell adhesion, leading to growth and lyne Effect of VEGF on Nectin-2 expression as well as permeabilitient HUVEC.</li> <li>bn: High quality, high purity and low endotoxin recombinant Nectin-2/PVRL2/CD112 Protein, tested reactivity in HEK292 validated in SDS-PAGE.100% guaranteed.</li> <li>&lt; 1 EU/µg of the protein by LAL method Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). No</li> </ul>	sion in ovarian cance mph node metastasis ty was investigated ir Recombinant Humar 3 cells and has beer rmally 8% trehalose is up to 1 year from the