Recombinant Human HGF receptor/c-MET/MET Protein RPCB0512					AssayGenie 🍣
Product Inform	ation				
Product SKU :	RPCB0512	Gene ID:	4233	Si	ze : 100µg
Tag:	C-hFc	Reactivity :	Human		
Additional Infor Expression Ho Purity:	st: HEK293 ce	ells SDS-PAGE	Swissprot:	P08581-1	

Protein Information

Background: c-Met, also called tyrosine-protein kinase Met or hepatocyte growth factor receptor (HGF R), is a protein that in humans is encoded by the MET gene. The protein possesses tyrosine kinase activity. The primary single chain precursor protein is posttranslationally cleaved to produce the alpha and beta subunits, which are disulfide linked to form the mature receptor. Following activation by ligand, interacts with the PI3-kinase subunit PIK3R1, PLCG1, SRC, GRB2, STAT3 or the adapter GAB1. Recruitment of these downstream effectors by MET leads to the activation of several signaling cascades including the RAS-ERK, PI3 kinase-AKT, or PLCgamma-PKC. The RAS-ERK activation is associated with the morphogenetic effects while PI3K/AKT coordinates prosurvival effects. During embryonic development, MET signaling. **Protein Description:** High quality, high purity and low endotoxin recombinant Recombinant Human HGF receptor/c-MET/MET Protein , tested reactivity in HEK293 cells and has been validated in SDS-PAGE.100% guaranteed. Endotoxin: < 1 EU/ μ g of the protein by LAL method Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is Formulation: added as protectant before lyophilization. Storage: Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Contact Details | Dublin, Ireland Email: techsupport@assaygenie.com | Web: <u>www.assaygenie.com</u> Copyright © 2024 Assay Genie Ltd, All Rights Reserved. All information / detail is correct at time of going to print.