

RPCB0899

Product Information

Product SKU:	RPCB0899	Gene ID:	6361	Size:	50µg
Tag:	C-hFc&His	Reactivity:	Human		

Additional Information

Expression Host:	HEK293 cells	Swissprot:	Q92583
Purity:	> 90% by SDS-PAGE.		

Protein Information

Background: There are four members of the chemokine family: C-C kemokines, C kemokines, CXC kemokines and CX3C kemokines. The C-C kemokines have two cysteines nearby the amino terminus. There have been at least 27 distinct members of this subgroup reported for mammals, called C-C chemokine ligands-1 to 28. Chemokine ligand 17 (CCL17), also known as thymus and activation regulated chemokine(TARC), is a small cytokine belonging to the C-C chemokine family. CCL17 is expressed mainly in thymus and transiently in phytohemagglutinin-stimulated peripheral blood mononuclear cells. CCL17 can induce chemotaxis in T cells by binding with the chemokine receptor CCR4.

Protein Description: High quality, high purity and low endotoxin recombinant Recombinant Human CCL17/TARC Protein, tested reactivity in HEK293 cells and has been validated in SDS-PAGE. 100% guaranteed.

Endotoxin: <0.1EU/µg

Formulation: Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

Storage: Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.