

RPCB1112

---

**Product Information**

**Product SKU:** RPCB1112      **Gene ID:** 10326      **Size:** 10µg  
**Tag:** C-His      **Reactivity:** Human

---

**Additional Information**

**Expression Host:** HEK293 cells      **Swissprot:** O00241  
**Purity:** > 95% by SDS-PAGE.

---

**Protein Information**

**Background:** Signal-regulatory protein beta-1 (SIRP beta 1) also known as SIRP1, belongs to signal-regulatory-protein (SIRP) family, and immunoglobulin superfamily. Signal-regulatory proteins (SIRPs) are cell-surface glycoproteins expressed on myeloid and neural cells that have been shown to recruit SH2 domain-containing protein phosphatase 1 (SHP-1) and SHP-2 and to regulate receptor tyrosine kinase-coupled signaling. SIRP are classified as SIRP alpha molecules, containing 11- to 113-amino acid long, or SIRP beta molecules, with a 5-amino acid long intracytoplasmic domain. SIRP beta 1 is a new DAP12-associated receptor involved in the activation of myeloid cells, which contains a short cytoplasmic domain that lacks sequence motifs capable of recruiting SHP-1 and SHP-2. SIRP beta 1 acts as an activating isoform of SIRP alpha molecules, confirming the co-existence of inhibitory ITIM-bearing molecules, recruiting SHP-1 and SHP-2 protein tyrosine phosphatases, and activating counterparts, whose engagement couples to protein tyrosine kinases via ITAM-bearing molecules.

**Protein Description:** High quality, high purity and low endotoxin recombinant Recombinant Human SIRP-beta 1/CD172b Protein, tested reactivity in HEK293 cells and has been validated in SDS-PAGE. 100% guaranteed.

**Endotoxin:** <0.1EU/µg

**Formulation:** Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

**Contact Details | Dublin, Ireland**

**Email:** techsupport@assaygenie.com | **Web:** [www.assaygenie.com](http://www.assaygenie.com)

Copyright © 2024 Assay Genie Ltd, All Rights Reserved. All information / detail is correct at time of going to print.

**Storage:**

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.