Recombinant Human CD80 Protein (Fc Tag)



RPES8318

Product Information

Product SKU: RPES8318 Expression Host: Mammalian Size: 20μg

Tag: C-Fc Reactivity: Human Accession: P33681-1

Additional Information

Calculated MW: 47.7 kDa Observed MW: 70-90 kDa

Sequence: Val35-Asn242

Protein Information

Background: The B-lymphocyte activation antigen B7-1 (referred to as B7), also known as CD80, is

a member of cell surface immunoglobulin superfamily and is expressed on the

surface of antigen-presenting cells including activated B cells, macrophages and

dendritic cells. As costimulatory ligands, B7-1 which exists predominantly as dimer

and the related protein B7-2, interact with the costimulatory receptors CD28 and

cytotoxic T lymphocyte-associated antigen 4 (CTLA-4) expressed on T cells, and thus

constitute one of the dominant pathways that regulate T cell activation and tolerance,

cytokine production, and the generation of CTL. The B7/CD28/CTLA4 pathway has

the ability to both positively and negatively regulate immune responses. CD80 is thus

regarded as promising therapeutic targets for autoimmune diseases and various

carcinomas.

Synonyms: T-lymphocyte activation antigen CD80, Cd80, Activation B7-1 antigen, B7,

Endotoxin: < 1.0 EU/mg of the protein as determined by the LAL method

Formulation: Lyophilized from a 0.2 µm filtered solution in PBS with 5% Trehalose and 5% Mannitol.

Purity: > 90% as determined by reducing SDS-PAGE.

Bio-Activity: Not validated for activity

Storage: Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.